

DoorBird Integration

Supported SIP Phones / Panels



All DoorBird video door stations have a built-in SIP module for integration with various SIP telephones and home automation systems to meet the high demands of audio and video communication.

Supported SIP Phones / Panels	Two-way Audio	Video	Door opening
3CX PBX (Open configuration)	✓	✗	✓
Sipgate.de (Open configuration)	✓	✗	✓
Asterisk (Open Configuration)	✓	✓	✓
Cisco SPA1xx (Open configuration)	✓	✗	✓
FRITZ!Fon C5 (Open configuration)	✓	✓	✓
Grandstream GXV3240 (Open configuration)	✓	✓	✓
Grandstream GXV3275 (Open configuration)	✓	✓	✓
Grandstream GXV3370 (Open configuration)	✓	✓	✓
Grandstream WP820 (Open configuration)	✓	✗	✓
Iddero Tone7 / Tone One (Open configuration)	✓	✓	✓
Iddero HC3-KNX (Open configuration)	✓	✓	✓
Tiptel 31xx (Open configuration)	✓	✓	✓
Tiptel 8010 ALL-IP (Open configuration)	✓	✓	✓

Snom ([Open configuration](#))



Yealink SIP-T58A ([Open configuration](#))



Yealink SIP-T48S ([Open configuration](#))



support@bitelec.ch